

	Type	Hits	Search Text
1	IS&R	0	("('kxk' 'k x k') same ('(k.sup.k)x(k.sup.k)' ' (k.sup.k) x (k.sup.k)')").PN.
2	BRS	0	('kxk' 'k x k') same ('(k.sup.k)x(k.sup.k)' ' (k.sup.k) x (k.sup.k)')
3	BRS	0	('kxk' 'k x k') and ('(k.sup.k)x(k.sup.k)' ' (k.sup.k) x (k.sup.k)')
4	BRS	0	('kxk' 'k x k') and ('(n.sup.n)x(n.sup.n)' ' (n.sup.n) x (n.sup.n)')
5	BRS	0	('nxn' 'n x n') and ('(n.sup.n)x(n.sup.n)' ' (n.sup.n) x (n.sup.n)')
6	BRS	2418	'kxk' 'k x k') ('nxn' 'n x n') ('mxm' 'm x m'
7	BRS	0	(' (k.sup.k)x(k.sup.k)' ' (k.sup.k) x (k.sup.k)')
8	BRS	0	ksupk
9	IS&R	0	("k.sub.k").PN.
10	BRS	280	'k.sub.k'
11	BRS	1926	'k.sup.2'
12	IS&R	0	("('kxk' 'k x k') same ('k.sup.2xk.sup.k)' 'k.sup.2 x k.sup.k')").PN.
13	BRS	0	('kxk' 'k x k') same ('k.sup.2xk.sup.k)' 'k.sup.2 x k.sup.k')
14	BRS	333	'kxk' 'k x k'
15	BRS	0	'k.sup.2xk.sup.k)' 'k.sup.2 x k.sup.k'
16	BRS	92434	'k.sup.2'*'k.sup.2') ('k.sup.2' * 'k.sup.2'
17	BRS	95	('k.sup.2'*'k.sup.2') ('k.sup.2' * 'k.sup.2') and ('kxk' 'k x k')
18	BRS	0	'k.sup.2'*'k.sup.2'
19	BRS	1	6363182.pn.
20	BRS	0	'k.sup.2'.'k.sup.2'
21	BRS	13	'k.sup.2' near3 input\$1
22	BRS	20	'k.sup.2' near3 output\$3
23	BRS	263	('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1
24	BRS	385	('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output
25	BRS	58	((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output)
26	BRS	2109	'kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m'
27	BRS	3	('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output))
28	BRS	269	((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) ((('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)
29	BRS	466	((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) ((('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)
30	BRS	76	((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) ((('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) ((('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output))

	DBs	Time Stamp	Comments	Error Definition
1	USPAT; EPO; JPO	2002/10/06 17:39		
2	USPAT; EPO; JPO	2002/10/06 17:13		
3	USPAT; EPO; JPO	2002/10/06 17:11		
4	USPAT; EPO; JPO	2002/10/06 17:10		
5	USPAT; EPO; JPO	2002/10/06 17:10		
6	USPAT; EPO; JPO	2002/10/06 17:13		
7	USPAT; EPO; JPO	2002/10/06 17:27		
8	USPAT; EPO; JPO	2002/10/06 17:16		
9	USPAT	2002/10/06 17:27		
10	USPAT	2002/10/06 17:34		
11	USPAT	2002/10/06 17:36		
12	USPAT; EPO; JPO	2002/10/06 17:41		
13	USPAT; EPO; JPO; DERWENT	2002/10/06 17:42		
14	USPAT	2002/10/06 17:56		
15	USPAT	2002/10/06 17:43		
16	USPAT	2002/10/06 17:46		
17	USPAT	2002/10/06 17:45		
18	USPAT	2002/10/06 17:52		
19	USPAT	2002/10/06 17:48		
20	USPAT	2002/10/06 17:52		
21	USPAT	2002/10/06 17:54		
22	USPAT	2002/10/06 17:53		
23	USPAT	2002/10/06 18:03		
24	USPAT	2002/10/06 17:56		
25	USPAT	2002/10/06 17:56		
26	USPAT	2002/10/06 18:08		
27	USPAT	2002/10/06 17:58		
28	USPAT	2002/10/06 18:06		
29	USPAT	2002/10/06 18:07		
30	USPAT	2002/10/06 18:09		

	Errors
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0
15	0
16	0
17	0
18	0
19	0
20	0
21	0
22	0
23	0
24	0
25	0
26	0
27	0
28	0
29	0
30	0

	Type	Hits	Search Text
31	BRS	7	('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))
32	BRS	4	('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))
33	BRS	2	("5500858" "5517495").pn.
34	BRS	7	('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))
35	BRS	345	385/17.ccls.
36	BRS	18	385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))
37	BRS	58	385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))
38	BRS	40	(385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output))) not (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))
39	BRS	19425	385/\$.ccls.
40	BRS	63	385/\$.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))
41	BRS	45	(385/\$.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output))) not 385/17.ccls.

	DBs	Time Stamp	Comments	Error Definition
31	USPAT	2002/10/07 10:34		
32	USPAT	2002/10/07 10:37		
33	USPAT	2002/10/07 10:38		
34	USPAT	2002/10/07 12:13		
35	USPAT	2002/10/07 11:59		
36	USPAT	2002/10/07 12:00		
37	USPAT	2002/10/07 12:00		
38	USPAT	2002/10/07 11:48		
39	USPAT	2002/10/07 11:59		
40	USPAT	2002/10/07 12:12		
41	USPAT	2002/10/07 12:02		

	Errors
31	0
32	0
33	0
34	0
35	0
36	0
37	0
38	0
39	0
40	0
41	0

	Type	Hits	Search Text
42	BRS	580	385/\$.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))))
43	BRS	477	(385/\$.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not ((385/\$.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))))) 385/17.ccls.)
44	BRS	198	('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))
45	BRS	173	((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))) not (((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not (385/17.ccls. and (('kxk' 'k x

	DBs	Time Stamp	Comments	Error Definition
42	USPAT	2002/10/07 12:08		
43	USPAT	2002/10/07 12:09		
44	USPAT; EPO; JPO; DERWENT	2002/10/07 13:45		
45	USPAT; EPO; JPO; DERWENT	2002/10/07 12:42		

	Errors
42	0
43	0
44	0
45	0

	Type	Hits	Search Text
46	BRS	95	<pre> ((((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))) not (((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not (385/17.ccls. and (('kxk' 'k x </pre>
47	BRS	94	<pre> ("6392923" "6335930" "6281998" "6268952" "6246692" "6243178" "6183141" "6122252" "6097517" "6091760" "6052373" "5953143" "5914952" "5875266" "5841556" "5812947" "5748629" "5701263" "5668653" "5640586" "5566014" "5559970" "5495356" "5473731" "5428218" "5412646" "5408463" "5408272" "5406283" "5400370" "5349612" "5343468" </pre>

	Type	Hits	Search Text
48	BRS	74	("6392923" "6335930" "6281998" "6268952" "6246692" "6243178" "6183141" "6122252" "6097517" "6091760" "6052373" "5953143" "5914952" "5875266" "5841556" "5812947" "5748629" "5701263" "5668653" "5640586" "5566014" "5559970" "5495356" "5473731" "5428218" "5412646" "5408463" "5408272" "5406283" "5400370" "5349612" "5343468"
49	BRS	78	(((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))) not (((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not (385/17.ccls. and (('kxk' 'k x

	DBs	Time Stamp	Comments	Error Definition
48	USPAT; EPO; JPO	2002/10/07 12:49		
49	USPAT; EPO; JPO; DERWENT	2002/10/07 13:22		

	Errors
48	0
49	0

	Type	Hits	Search Text
50	BRS	95	<pre> ((((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))) not (((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not (385/17.ccls. and (('kxk' 'k x </pre>
51	BRS	21	<pre> ((((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))) not (((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not (385/17.ccls. and (('kxk' 'k x </pre>

	Type	Hits	Search Text
52	BRS	199	('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2' '2x2' '4x4' '16x16' '64x64') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2' '2x2' '4x4' '16x16' '64x64') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))
53	BRS	1	((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2' '2x2' '4x4' '16x16' '64x64') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2' '2x2' '4x4' '16x16' '64x64') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))) not (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3))))